

HEIGHT ACCESS

Allweld Platform & Order Picking Ladders



Order Picking Ladders:

△ Industrial Strength Fully Welded Ladders
 △ Made in Australia to Australian Standards (AS/NZS 1892.1)
 △ Steps 80mm Wide △ Platform Size 750 x 600mm
 From 2.5mm Aluminium Chequer Plate △ Optional Castors, Hand Rails & Safety Gate Available



EMOP8 Order Picker
 (Shown in Picture)



SG Yellow Bolt On Safety Gate




Folding Platform Ladders:

△ Industrial Strength With High Load Rating of 200kg
 △ Made in Australia to Australian Standards (AS/NZS 1892.1)
 △ Platform Size 700 x 400mm Made From 2.5mm Aluminium Chequer Plate
 △ Optional Castors, Hand Rails & Safety Gate Available



Light Duty Castors

Heavy Duty Castors



HR Yellow Bolt On Hand Rails



SG Yellow Bolt On Safety Gate



FPS12 Folding Platform Ladder
 (Shown in Picture)



Order Picking Ladders Walk Through:

△ Industrial Strength Fully Welded Ladders With Lift Up Boom Gate
 △ Made in Australia to Australian Standards (AS/NZS 1892.1)
 △ Steps 80mm Wide △ Platform Size 750 x 600mm From 2.5mm Aluminium Chequer Plate
 △ Optional Castors, Hand Rails & Safety Gate Available



EMOP9WT Walk Through (Shown in Picture)



SG Yellow Bolt On Safety Gate

Product Name	Model	Platform Height (mm)	Steps	Capacity (kg)	
Folding Platform Ladders	FPS06	550	2	200	
	FPS09	820	3	200	
	FPS12	1090	4	200	
	FPS15	1360	5	200	
	FPS18	1660	6	200	
	FPS21	1920	7	200	
	FPS24	2180	8	200	
	LD Castors (FPS06 – FPS18)				
	HD Castors (FPS21 – FPS24)				
	HR (Bolt On Hand Rails)				
SG (Bolt On Safety Gate - Includes Handrails)					
Order Picking Ladders	EMOP3	816	3	250	
	EMOP4	1088	4	250	
	EMOP5	1359	5	250	
	EMOP6	1631	6	250	
	EMOP7	1903	7	250	
	EMOP8	2175	8	250	
	EMOP9	2447	9	250	
	EMOP10	2719	10	250	
	EMOP11	2991	11	250	
	EMOP12	3265	12	250	
	EMOP13	3535	13	250	
	EMOP14	3806	14	250	
	SG (Bolt On Safety Gate)				
	Order Picking Ladders Walk Through	EMOP3WT	816	3	250
EMOP4WT		1088	4	250	
EMOP5WT		1359	5	250	
EMOP6WT		1631	6	250	
EMOP7WT		1903	7	250	
EMOP8WT		2175	8	250	
EMOP9WT		2447	9	250	
EMOP10WT		2719	10	250	
EMOP11WT		2991	11	250	
EMOP12WT		3265	12	250	
EMOP13WT		3535	13	250	
EMOP14WT		3806	14	250	
SG (Bolt On Safety Gate)					

HEIGHT ACCESS

Stockmaster Mobile Platform Ladders

Stockmaster Navigator Mobile Platform Ladders:
 ▲ **It Is Unsafe To Handle Large or Heavy Items (Above 5kg) in Working Ranges Above 260mm Without a Lifting Aide (See Stockmaster Lift Truk)* ▲ Navigator Features a Move, Steer & Brake Control Which Keeps Four Feet of Ladder on Ground Unless You are Moving it ▲ For Indoor Use, Easy & Fast to Move Around ▲ Platform Size 750x580mm ▲ Meets or Exceeds AS/NZS1892.1:1996 ▲ Aluminium Construction



40SM-N05 (Shown in Picture)

Stockmaster Navigator Mobile Platform Ladders Pro:
 ▲ **It Is Unsafe to Handle Large or Heavy Items (Above 5kg) in Working Ranges Above 2600mm Without a Lifting Aide (See Stockmaster Lift Truk)* ▲ Navigator Features a Move, Steer & Brake Control Which Keeps Four Feet of Ladder on Ground Unless You are Moving it ▲ For Indoor Use, Easy & Fast to Move Around ▲ Platform Size 750 x 580mm ▲ Fully Automatic Stockmaster Auto-Gate Ensures Your Hands are Free to Carry Items & Maintain a Safe Grip ▲ Stockmaster Rota Gate Provides a Gateway at Side of Platform Creating Easy Access for Stock Picking ▲ Meets or Exceeds AS/NZS1892.1:1996 ▲ Aluminium Construction



40SM-N05P (Shown in Picture)
 ▲ With Auto Gate & Rota Gate

Product Name	Model	Platform Height (mm)	Base LxW (mm)	Working Range Up to 5kg Item (mm)	Working Range Up to 20kg Item (mm)	Capacity (kg)	
Stockmaster Navigator Standard Mobile Platform Ladders – With Safety Railing	40SM-N04	1145	1295x755	1400 - 2800	1400 - 2300	150	
	40SM-N05	1435	1425x795	1700 - 3100	1700 - 2600	150	
	40SM-N06	1720	1555x835	2000 - 3400	Unsafe *	150	
	40SM-N07	2005	1685x875	2300 - 3700	Unsafe *	150	
	40SM-N08	2295	1815x915	2500 - 3900	Unsafe *	150	
	40SM-N09	2580	1945x955	2800 - 4200	Unsafe *	150	
	40SM-N010	2865	2075x995	3100 - 4500	Unsafe *	150	
	40SM-N011	3155	2205x1035	3400 - 4800	Unsafe *	150	
	40SM-N12	3440	2335x1075	3700 - 5100	Unsafe *	150	
	40SM-N13	3725	2465x1115	4000 - 5400	Unsafe *	150	
	40SM-N14	4015	2595x1155	4300 - 5700	Unsafe *	150	
	Stockmaster Navigator Pro Mobile Platform Ladders – With Auto Gate & Rota Gate	40SM-N04P	1145	1295x755	1400 - 2800	1400 - 2300	150
		40SM-N05P	1435	1425x795	1700 - 3100	1700 - 2600	150
		40SM-N06P	1720	1555x835	2000 - 3400	Unsafe *	150
40SM-N07P		2005	1685x875	2300 - 3700	Unsafe *	150	
40SM-N08P		2295	1815x915	2500 - 3900	Unsafe *	150	
40SM-N09P		2580	1945x955	2800 - 4200	Unsafe *	150	
40SM-N10P		2865	2075x995	3100 - 4500	Unsafe *	150	
40SM-N11P		3155	2205x1035	3400 - 4800	Unsafe *	150	
40SM-N12P		3440	2335x1075	3700 - 5100	Unsafe *	150	
40SM-N13P		3725	2465x1115	4000 - 5400	Unsafe *	150	
Stockmaster Lift-Truk Manual Order Picking Ladders	40SM-LT04M	1145	1885x755	1400 - 2800	1400 - 2300	150	
	40SM-LT05M	1435	2015x795	1700 - 3100	1700 - 2600	150	
	40SM-LT06M	1720	2145x835	2000 - 3400	2000 - 2900	150	
	40SM-LT07M	2005	2275x875	2300 - 3700	2300 - 3200	150	
	40SM-LT08M	2295	2405x915	2500 - 3900	2500 - 3400	150	
	40SM-LT09M	2580	2535x 955	2800 - 4200	2800 - 3700	150	
	40SM-LT10M	2865	2665x995	3100 - 4500	3100 - 4000	150	
	40SM-LT11M	3155	2795x1035	3400 - 4800	3400 - 4200	150	
	40SM-LT12M	3440	2925x1075	3700 - 5100	3700 - 4600	150	
	40SM-LT13M	3735	3055x1115	4000 - 5400	4000 - 4900	150	
40SM-LT14M	4015	3225x1135	4300 - 5700	4300 - 5200	150		

Stockmaster Lift-Truk Manual Order Picking Ladders:
 ▲ *Lift-Truk is a Safe & Easy to Use Lifting Platform Ladder that Cannot be Accidentally Left in the Mobile Mode* ▲ Items Weighing up to 60kg can be Picked Lowered & Transported in One Action ▲ Platform Size 750x580mm ▲ Whole Process can be Done by One Person ▲ Manually Operated Winch for Indoor Use, Easy & Fast to Move Around ▲ Meets or Exceeds AS/NZS1892.1:1996 ▲ Aluminium Construction



40SM-LT04M (Shown in Picture)

HEIGHT ACCESS

Stockmaster Mobile Platform Ladders

Stockmaster Lift-Truk Manual Order Picking Ladders Pro:

▲ Lift-Truk is a Safe & Easy to Use Lifting Platform Ladder that Cannot be Accidentally Left in the Mobile Mode
 ▲ Items Weighing up to 60kg can be Picked, Lowered & Transported in One Action
 ▲ Platform Size 750 x 580mm ▲ Fully Automatic Stockmaster Auto-Gate Ensures Your Hands are Free to Carry Items & Still Maintain a Safe Grip
 ▲ Stockmaster Rota Gate Provides a Gateway at Side of Platform Creating Easy Access for Stock Picking ▲ Whole Process can be Done by One Person
 ▲ Manually Operated Winch for Indoor Use, Easy & Fast to Move Around ▲ Meets or Exceeds AS/NZS1892.1:1996 ▲ Aluminium Construction



40SM-LT04P (Shown in Picture)
▲ With Auto Gate & Rota Gate

Stockmaster Tracker Mobile Work Platform Ladders:

▲ *It Is Unsafe to Handle Large or Heavy Items (Above 5kg) in Working Ranges Above 2600mm Without a Lifting Aide (See Stockmaster Lift Truk)
 ▲ With 2 x Large Diameter Wheels Unit Moves Easily Over Sealed & Unsealed Surfaces or Slopes ▲ For Indoor & Outdoor Use ▲ Platform Size 750 x 580mm ▲ Features a Tilt, Steer & Brake Control, Raise the Unit to Mobile Position & Move to Job ▲ Meets or Exceeds AS/NZS1892.1:1996 ▲ Aluminium Construction



40SM-T06 (Shown in Picture)

Stockmaster Tracker Mobile Work Platform Ladders Pro:

▲ *It Is Unsafe to Handle Large or Heavy Items (Above 5kg) in Working Ranges Above 2600mm Without a Lifting Aide (See Stockmaster Lift Truk) ▲ With 2 x Large Diameter Wheels it Moves Easily Over Sealed & Unsealed Surfaces or Slopes ▲ For Indoor & Outdoor use ▲ Platform Size 750 x 580mm
 ▲ Features a Tilt, Steer & Brake Control, Raise the Unit to Mobile Position & Move to Job ▲ Fully Automated Stockmaster Auto Gate Ensures Your Hands are Free to Carry Items & Still Maintain a Safe Grip ▲ Meets or Exceeds AS/NZS1892.1:1996
 ▲ Aluminium Construction



40SM-L06P (Shown in Picture)
▲ With Auto Gate & Rota Gate

Stockmaster Step-Thru All Terrain Mobile Access Platform Ladders:

▲ Step-Thru is Not Suitable for Use Against a Wall ▲ Step-Thru is an all Terrain, Safe & Easy to Use Mobile Access Platform ▲ With 2 x Large Diameter Wheels it Moves Easily Over Sealed & Unsealed Surfaces or Slopes ▲ For Indoor & Outdoor Use ▲ Platform Size 750 x 580mm ▲ Taking Hold of Control Raises Unit to Mobile Position & Move to Job ▲ Meets or Exceeds AS/ZS1892.1:1996
 ▲ Aluminium Construction



40SM-ST-04 (Shown in Picture)

Product Name	Model	Platform Height (mm)	Base LxW (mm)	Working Range Up to 5kg Item (mm)	Working Range Up to 20kg Item (mm)	Capacity (kg)	
Stockmaster Lift-Truk Pro Manual Order Picking Ladders - With Auto Gate & Rota Gate	40SM-LT04P	1145	1885x755	1400 - 2800	1400 - 2300	150	
	40SM-LT05P	1435	2015x795	1700 - 3100	1700 - 2600	150	
	40SM-LT06P	1720	2145x835	2000 - 3400	2000 - 2900	150	
	40SM-LT07P	2005	2275x875	2300 - 3700	2300 - 3200	150	
	40SM-LT08P	2295	2405x915	2500 - 3900	2500 - 3400	150	
	40SM-LT09P	2580	2535x955	2800 - 4200	2800 - 3700	150	
	40SM-LT10P	2865	2665x995	3100 - 4500	3100 - 4000	150	
	40SM-LT11P	3155	2795x1035	3400 - 4800	3400 - 4200	150	
	40SM-LT12P	3440	2925x1075	3700 - 5100	3700 - 4600	150	
	40SM-LT13P	3735	3055x1115	4000 - 5400	4000 - 4900	150	
	40SM-LT14P	4015	3225x1135	4300 - 5700	4300 - 5200	150	
	Stockmaster Tracker All Terrain Mobile Work Platform Ladders - With Safety Railing	40SM-T03	860	1210x840	1400 - 2800	1400 - 2300	150
		40SM-T04	1145	1340x895	1700 - 3100	1700 - 2600	150
		40SM-T05	1435	1470x936	2000 - 3400	Unsafe *	150
40SM-T06		1720	1600x975	2300 - 3700	Unsafe *	150	
40SM-T07		2005	1730x1015	2500 - 3900	Unsafe *	150	
40SM-T08		2295	1860x1055	2800 - 4200	Unsafe *	150	
40SM-T09		2580	1990x1095	3100 - 4500	Unsafe *	150	
40SM-T10		2865	2120x1135	3400 - 4800	Unsafe *	150	
40SM-T11		3155	2250x1175	3700 - 5100	Unsafe *	150	
40SM-T12		3440	2380x1215	4000 - 5400	Unsafe *	150	
40SM-T13		3735	2510x1255	4300 - 5700	Unsafe *	150	
40SM-T14		4015	2640x1295	4600 - 6000	Unsafe *	150	
Stockmaster Tracker Pro All Terrain Mobile Work Platform Ladders - With Auto Gate & Rota Gate		40SM-T03P	860	1210x840	1400 - 2800	1400 - 2300	150
		40SM-T04P	1145	1340x895	1700 - 3100	1700 - 2600	150
	40SM-T05P	1435	1470x936	2000 - 3400	Unsafe *	150	
	40SM-T06P	1720	1600x975	2300 - 3700	Unsafe *	150	
	40SM-T07P	2005	1730x1015	2500 - 3900	Unsafe *	150	
	40SM-T08P	2295	1860x1055	2800 - 4200	Unsafe *	150	
	40SM-T09P	2580	1990x1095	3100 - 4500	Unsafe *	150	
	40SM-T10P	2865	2120x1135	3400 - 4800	Unsafe *	150	
	40SM-T11P	3155	2250x1175	3700 - 5100	Unsafe *	150	
	40SM-T12P	3440	2380x1215	4000 - 5400	Unsafe *	150	
	40SM-T13P	3735	2510x1255	4300 - 5700	Unsafe *	150	
	40SM-T14P	4015	2640x1295	4600 - 6000	Unsafe *	150	
	Stockmaster Step-Thru All Terrain Mobile Access Platform Ladders	40SM-ST03	860	900x780	The Height of the Platform Must Never be Higher Than the Workplace Being Accessed. Choose a Platform as Near as Possible to One Full Step Lower Than the Access Height		150
		40SM-ST04	1145	1005x820			150
40SM-ST05		1435	1110x860	150			
40SM-ST06		1720	1215x900	150			
40SM-ST07		2005	1330x940	150			
40SM-ST08		2295	1460x980	150			
40SM-ST09		2580	1590x1020	150			
40SM-ST10		2865	1720x1060	150			

HEIGHT ACCESS

Bailey Platform Stepladders & Order Pickers



Access Platform:

Δ Designed for Safe & Efficient Navigation in Warehousing, Vehicle Maintenance, Mining, Aviation & Heavy Industry Workplaces Δ Super Strong Welded Frame, Aluminium Construction Δ Large 125mm Castors for Improved Portability & Easy Glide Action Δ Large table Work Platform 590 x 800mm Δ Two Safety Gates Fitted, Allowing Walk Through Access Δ Shelf Included Δ Made To Australian & NZ Standards (AS/NZS1892.1)



FS13592 (Shown in Picture)



Order Picker - Temporary Work Platform:

Δ Designed for Safe & Efficient Use Around Warehouse or Workplace Δ Ideal for Moderate Stock Picking Applications Δ Strong Welded Frame, Aluminium Construction Δ Large Stable Platform 500 x 510mm Δ 900mm Handrail Height from Platform Δ Spring Loaded Castors Δ Made to Australian & NZ Standards (AS/NZS1892.1)



FS10865 (Shown in Picture)



Professional Punchlock Platform Stepladders:

Δ Designed for Heavy Trade / Commercial Use - For Industrial Work Sites Δ Aluminium Construction Δ Wide Anti-Slip Platform 490 x 490mm Δ 900mm Handrail Height from Platform Δ Anti-Slip Rubber Feet Δ Made to Australian & NZ Standards (AS/NZS1892.1)



FS13647

Optional Safety Gate for Punchlock Ladders



FS22971

Δ FS13398 - FS13402

FS22972

Δ FS13585 - FS13586
Optional Castor Kit for Punchlock Ladders



FS13647 (Shown in Picture)



Professional Punchlock Platform Stepladders - Fibreglass:

Δ Designed for Heavy Trade / Commercial Use - For Industrial Work Sites Δ Non Conductive Fibreglass Construction, Suitable for Electrical Applications Δ Wide Anti-Slip Platform 490 x 490mm Δ 900mm Handrail Height from Platform Δ Anti-Slip Rubber Feet Δ Made to Australian & NZ Standards (AS/NZS1892.3)



FS13647

Optional Safety Gate for Punchlock Ladders



FS23120

Δ FS10720 - FS10724

FS22972

Δ FS10725 - FS10726
Optional Castor Kit for Punchlock Ladders



FS10722 (Shown in Picture)

Product Name	Model	Platform Height (mm)	Base LxW (mm)	Reach Height (mm)	Unit Weight (kg)	Capacity (kg)	
Access Platform	FS13591	828	1168x724	2800	38.1	170	
	FS13592	1104	1309x764	3100	40.6	170	
	FS13593	1381	1451x804	3400	43	170	
	FS13594	1656	1592x844	3700	46	170	
	FS13595	1933	1733x884	3900	48.5	170	
	FS13596	2209	1875x924	4200	51	170	
	FS13597	2761	2157x1003	4800	62	170	
	FS13598	3313	2440x1083	5300	69	170	
	FS13599	3866	2723x1164	5900	76.4	170	
Order Picker - Temporary Work Platform	FS10863	830	936x615	830	17.5	130	
	FS10864	1110	1079x653	1110	19.5	130	
	FS10865	1390	1221x690	1390	22.5	130	
	FS10866	1670	1363x727	1670	23.5	130	
	FS10867	1950	1506x765	1950	28.5	130	
	FS10868	2220	1648x802	2220	30.5	130	
	FS22995 (Safety Gate)					2.8	
Professional Punchlock Platform Stepladders	FS13398	580	797x551	2600	8.2	170	
	FS13399	860	966x591	2900	9.6	170	
	FS13400	1150	1135x631	3100	10.9	170	
	FS13401	1430	1304x671	3400	12.3	170	
	FS13402	1720	1474x711	3700	14.1	170	
	FS13585	2000	1489x751	4000	17.5	170	
	FS13586	2230	1658x791	4300	20.4	170	
	FS22971 Castor Kit (FS13398 - FS13402)					2.54	
	FS22972 Castor Kit (FS13585 - FS13586)					2.54	
	FS13647 (Safety Gate)					2.5	
Professional Punchlock Platform Stepladders - Fibreglass	FS10720	580	809x549	2600	9.65	150	
	FS10721	860	978x581	2900	11.05	150	
	FS10722	1150	1147x629	3100	12.45	150	
	FS10723	1430	1317x669	3400	13.95	150	
	FS10724	1720	1486x709	3700	15.85	150	
	FS10725	2000	1655x749	4000	20.05	150	
	FS10726	2230	1824x1790	4300	22.45	150	
	FS23120 Castor Kit (FS10720 - FS10724)					2.54	
	FS23121 Castor Kit (FS10725 - FS10726)					2.54	
	FS13647 (Safety Gate)					2.5	

HEIGHT ACCESS

Step Ladders & Safety Steps



Little Jumbo Ladders:

△ Extra Large Steps 360mm L x 230mm Wide
 △ Step Rise 230mm △ Slip Resistant Rubber Surface △ Folds Flat When Not in Use



Product Name	Model	No of Steps	Folded Dimensions LxWxH (mm)	Rail Height (mm)	Unit Weight (kg)	Capacity (kg)
Little Jumbo Safety Step Ladders	210C Compact	2	495x80x560		5.1	150
	210B + Handrail	2	575x125x840	475	7.0	150
	310C Compact	3	495x80x795		7.2	150
	310	3	575x80x1150		8.6	150
	310B + Handrail	3	575x125x1150	720	10.6	150
	410	4	590x80x1455		11.3	150
	410B + Handrail	4	590x125x1455	720	13.0	150
	510B + Handrail	5	600x125x1750	720	15.3	150



Stairway Ladders:

△ Folds to a Compact Profile for Easy Storage in Confined Locations △ Wide, Slip Resistant Treads for Maximum Stability △ Light, Yet Durable Aluminium Construction



Product Name	Model	No of Steps	Standing Height (mm)	Maximum Reach Height (mm)	Unit Weight (kg)	Capacity (kg)
Stairway Ladders	FS13746	2	450	2450	3.5	150
	FS13747	3	670	2670	6.4	150
	FS13748	4	890	2890	8.3	150
	FS13749	5	1110	3110	10.2	150
	FS13750 + Handrail	2	450	2450	5.6	150
	FS13751 + Handrail	3	670	2670	8.5	150
	FS13752 + Handrail	4	890	2890	10.4	150
	FS13753 + Handrail	5	1110	3110	12.3	150



Jumbo Mobile Team Step:

△ Injection Moulded Construction
 △ Rubber Feet △ Castors Retract When Team Step in Use



Jumbo
 △ Colour Yellow



Mobile Team Step:

△ Made of Rotomould Plastic for Heavy Duty Use
 △ Extra Large Diameter Top △ Castors Retract When Team Step in Use



Teamstep
 △ Colours Yellow & Blue



Monster Safety Step:

△ Made of Rotomould Plastic for Heavy Duty Use △ Rubber Feet for Extra Grip △ Non Slip Tape



Monstar
 △ Colour Yellow



Kik - Step Step Stool:

△ Solid Steel Construction
 △ Spring Mounted Castors
 △ Wrap Around Bumpers
 △ Optional Stainless Steel Version Available



Kik-Step
 △ Colours Silvertone, Red, Orange, Beige & Copper



Step Up Team Step:

△ Made of Rotomould Plastic for Heavy Duty Use △ Full Stability Without Top Bowing, Will Not Bend or Sag



Step Up
 △ Colours Yellow & Orange

Product Name	Model	Height (mm)	Deck Size (mm)	Castors	Capacity (kg)
Safety Steps	Jumbo Mobile Team Step	360	380 Dia	Yes	150
	Mobile Team Step	395	315 Dia	Yes	180
	Kik-Step Step Stool	350	290x290W	Yes	225
	Step Up Team Step	370	370x370W	No	150
	Monstar Safety Step	375	370x370W	No	180