

PALLET HANDLING

Pallet Trucks

Pallet Trucks (Standard):
 Δ Available in 3 x Tyne Widths



AC25-450
 AC25-520
 AC25-685 (Shown in Picture)

Pallet Truck (Battery Electric Standard):
 Δ Economical Solution for Medium Duty Transport Operations or Delivery on Lorries With Tailgates
 Δ Maintenance Free Rechargeable Battery



LPT15

Pallet Trucks (Short Subby):
 Δ Designed Specifically for Skids & Tight Spaces




AC25-450/800 (Shown in Picture)
 AC25-520/800

Pallet Trucks (Low Boy):
 Δ For Moving Low Entry Skids With Height of 55mm (Not Suitable for Chep Pallets)



ACLOW-540
 ACLOW-685 (Shown in Picture)

Pallet Truck (Super Long):
 Δ Designed to Carry Goods With Big Volume



ACL20

Pallet Truck (Side Roller):
 Δ Allows Operator to Handle Pallets Easily in 4 x Directions



ACTWO

Product Name	Model	Forks LxW (mm)	Fork Height Range (mm)	Capacity (kg)
Pallet Trucks (Standard)	AC25-450	1150x450	75 - 190	2500
	AC25-520	1150x520	75 - 190	2500
	AC25-685	1150x685	75 - 190	2500
Pallet Truck (Battery Electric Standard)	LPT15	1150x700	85 - 120	1500
Pallet Trucks (Short Subby)	AC25-450/800	800x450	75 - 190	2500
	AC25-520/800	800x520	85 - 200	2500
Pallet Trucks (Low Boy)	ACLOW-540	1150x540	51 - 165	1500
	ACLOW-685	1150x685	51 - 165	1500
Pallet Truck (Super Long)	ACL-20	1800x685	75-85 - 190/200	2000
Pallet Truck (Side Roller)	ACTWO	1100x685	85 - 170/210	1500
Pallet Truck (Hand Brake)	AC20HO-685	1150x685	85 - 200	2000

Pallet Truck (Hand Brake):
 Δ Drum Brakes on Rear Wheels



AC20HO-685

PALLET HANDLING

Pallet Trucks & Skid Lifters

Pallet Truck (Galvanised):
 ▲ Durable Corrosion Protection



Pallet Truck (Stainless Steel):
 ▲ Durable Corrosion Protection



Pallet Trucks (With Scales):
 ▲ Ideal for Weighing Pallets for Transportation

WAQ-25E-540
 WAQ-25E-685 (Shown in Picture)



Pallet Trucks High Lift:
 ▲ For Raising & Lowering of Skids (Not for Use With Bottom Boarded or Closed Pallets)
 ▲ Suitable as a Lift Table or Work Bench

HLTN10-540
 HLTN10-685 (Shown in Picture)



Pallet Trucks (Battery Electric High Lift):
 ▲ For Raising & Lowering of Skids (Not for Use With Bottom Boarded or Closed Pallets) ▲ Built Out Battery & Charger Resulting in a Lower Centre of Gravity & Excellent Maneuverability ▲ Lifts Both Manual & Electric

EX-540
 EX-685 (Shown in Picture)



Product Name	Model	Forks LxW (mm)	Fork Height Range (mm)	Capacity (kg)
Pallet Truck (Galvanised)	ACZ-20L	1150x685	75 – 190	2000
Pallet Truck (Stainless Steel)	ACS-20	1150x685	75 – 190	2000
Pallet Trucks (With Scales)	WAQ25E-540	1150x540	88 – 200	2500
	WAQ25E-685	1150x685	88 – 200	2500
Pallet Trucks (High Lift)	HLTN10-540	1150x540	85 – 800	1000
	HLTN10-680	1150x680	85 – 800	1000
Pallet Trucks (Battery Electric High Lift)	EX-540	1170x540	85 – 800	1000
	EX-685	1170x685	85 – 800	1000
Skid Lifters	LV50	1080x520	83 - 830	500
	LV50W	1080x685	83 – 830	500
	LV100	1080x520	83 - 830	1000
	LV100W	1080x685	83 – 830	1000

Skid Lifters:
 ▲ For Raising & Lowering of Skids (Not for Use With Bottom Boarded or Closed Pallets) ▲ Easy Lifting With Foot Pedal ▲ Easy Lowering by Pulling Lever



LV50 (Shown in Picture)
 LV50W

PALLET HANDLING

Pallet Positons & Turntables



Safetech Pallet Positioners:

△ Automatically Keeps a Pallet or Stillage at Optimum Working Height When Loading or Unloading Goods △ Levelling Mechanism is a Set of Springs Set to the Weight & Height of Product △ Palift Works by Automatically Raising or Lowering as Weight Changes △ Eliminate Lifting, Bending & Stretching, the Primary Cause of Back Injuries △ No Power or Maintenance Required



Bishamon EZ Loader Pallet Positioner:

△ Self Levelling Design Automatically Keeps Top of Load at a Convenient Working Height Eliminating Bending & Improving Productivity △ Self Contained Pneumatic System △ Brake Prevents Rotator Ring From Turning △ EZ Adjust Knob Allows Adjustment of Collapsed Capacity Without Changing Air Pressure



PTG3 Turntable Top

PTG3 Square Top



EZ-Loader



Product Name	Model	Rotating Top DxH (mm)	Lift Height (mm)	Max Capacity (kg)
Bishamon EZ Loader Pallet Positioner	EZ-Loader	1092 Dia	267 - 775	1815
Safetech Pallet Levellers (Spring Operated – Choose Springs to Suit Pallet Load)	PTG3 Turntable Top	1100 Dia	240 - 710	2000
	PST3 Square Top	1040Lx1060W	225 - 709	2000
Paldisc Turntables	PALDISCWR (With Pallet Jack Ramp)	1240x22		2000
	PALDISCSQE (Square Edge No Ramp)	1100x22		2000
Palring Turntables	PALRING1100 (Carry Handles)	1100x60		2000
	PALRING11L (Bolt Down Lugs)	1100x60		2000
	PALRING11C (Captive Centre Connective & Bolt Down Lugs)	1100x60		2000
	PALRING900 (No Handles or Lugs)	900x60		2000
	PALRING9L (Bolt Down Lugs)	900x60		2000
	PALRING9C (Captive Centre Connection & Bolt Down Lugs)	900x60		2000



Paldisc Turntables:

△ Paldisc Turntables Reduce Stretching Required to Load a Pallet △ Lowest Height Turntable on Market △ Easy to Rotate Even With 2000kg Load △ Available With or Without Ramp



PALDISCSQU

PALDISCWR



Palring Turntables:

△ Palring Turntables Reduce Stretching Required to Load a Pallet △ Easy to Move by Hand, Won't Bind or Tighten Under Load △ Galvanised Finish



PALRING1100

PALRING900

PALLET HANDLING

Pallet & Stillage Cages



Stillage Cages:

△ Provides Protection for Goods in Transport & Storage △ Advantage of Being Quickly Dismantled to Save Space △ Removable Front Gate & Rear Hinged Full Opening Gate For Easy Access △ Stacks Four High When Empty & Two High When Fully Loaded △ Optional Galvanised Sheet Metal Floor △ Zinc Finish



PCM-01

PCMH-03



PCM-F Sheet Metal Floor For PCM Cages



Pallet Cages:

△ Designed for Safe Storage & Transport of Loose or Packaged Goods △ Removable Front Fond Down Gate & Rear Outward Opening Gate For Easy Access △ Side Panels Mounted to Standard Wooden Pallet (Included) △ Stacks Four High When Empty & Two High When Fully Loaded △ Optional Galvanised Sheet Metal Floor △ Zinc Finish



PCT-02



PCTH-04

Product Name	Model	External Size LxWxH (mm)	Internal Size LxWxH (mm)	Capacity (kg)
Stillage Cages	PCM-01	1205x1160x992	1080x1080x756	1000
	PCMH-03	1196x1160x614	1086x1086x377	1000
	PCM-F Sheet Metal Floor For PCM Cages			
Pallet Cages	PCT-02	1205x1165x1025	1080x1080x754	2000
	PCTH-04	1196x1165x648	1080x1080x375	2000
	PCT-F Sheet Metal Floor For PCT Cages			



PCT-F Sheet Metal Floor For PCT Cages


PALLET HANDLING

Work Platforms & Order Picking Cages



Forklift Work Platform:

△ Durable Corrosion Protection △ Designed for Forklift Use to Carry Out Tasks of Short Duration, Such as Maintenance △ Suitable for Two People (AS25359.1) △ Self Closing Inward Opening Gate With Bow Latch △ Removable Tool Tray & Two Harness Anchor Points △ Can Be Flat Packed △ Zinc Plated Finish



FWP25 Collapsed




FWP25



Forklift Work Platform (Full Mesh Panels):

△ Durable Corrosion Protection △ Designed for Forklift Use to Carry Out Tasks of Short Duration, Such as Maintenance △ Suitable for Two People (AS25359.1) △ Self Closing Inward Opening Gate With Bow Latch △ Removable Tool Tray & Two Harness Anchor Points △ Full Mesh Panels, Preventing Objects From Falling off Platform △ Can be Flat Packed △ Zinc Plated Finish



WP-MS Collapsed



WP-MS



Forklift Work Platform (Non Flatpack Fully Welded):

△ Designed for Forklift Use to Carry Out Tasks of Short Duration, Such as Maintenance △ Suitable for Two People (AS25359.1) △ Self Closing Inward Opening Gate With Bow Latch △ Fully Welded Construction for Heavy Duty Applications (Cannot be Flat Packed) △ Galvanised Finish



WP-G



Order Picking Cage:

△ For Safe Order Picking & Packing of Goods at Heights △ Strictly for Use With a Dedicated "Order Picker" or "Stock Picker" Forklift (AS2359.1) △ Fitted With Parcel Tray △ Enamel Paint Finish



WP-OP



Order Picking Cages With Gate:

△ For Safe Order Picking & Packing of Goods at Heights △ Strictly for Use With a Dedicated "Order Picker" or "Stock Picker" Forklift (AS2359.1) △ Fitted With Full Width Outward Opening Gate, Enabling Access to Stock △ Enamel Paint Finish



WP-OPG (Shown in Picture)
WP-OPG-2ML

Product Name	Model	Size LxWxH (mm)	Fork Pocket Centres (mm)	Capacity (kg)
Forklift Work Platform	FWP25	1155x1225x2000	640	250
Forklift Work Platform (Full Mesh Panels)	WP-MS	1155x1225x2000	600	250
Forklift Work Platform (Non Flatpack Fully Welded)	WP-G	1200x1175x2000	640	250
Order Picking Cage	WP-OP	1200x1200x1000	560	1000
Order Picking Cages With Gate	WP-OPG	1200x1200x1000	560	1000
	WP-OPG-2ML	2000x1200x1000	560	1000

PALLET HANDLING

Stretch Film Wrappers

Stretch Film Wrappers – Easy Manual Mast:

△ For Loading by Forklift △ Use for Less Than 10 Pallets Per Day △ For Pallets Lower Than 2100mm High △ Motorised Rotating Turntable - Mast Carriage Carrying the Film is Operated Manually △ Uses a Counter Balanced Mast to Reduce Effort Used When Raising & Lowering Mast △ Can be Upgraded to Semi Automatic at Later Date



Stretch Film Wrappers – Easy Semi Auto Mast:

△ For Loading by Forklift △ Use for More Than 10 Pallets Per Day △ For Pallets Lower Than 2100mm High △ Automatic Load Height Detection △ Simple Touch Pad Controls & LCD Displays Selection / Cycle Counter △ Set & Forget 5 Pattern Memory



Stretch Film Wrappers – Lo Profile Manual Mast:

△ For Loading by Forklift or Pallet Truck △ Use for Less Than 10 Pallets Per Day △ For Pallets Lower Than 2100mm High △ Motorised Rotating Turntable - Mast Carriage Carrying the Film is Operated Manually △ Uses a Counter Balanced Mast to Reduce Effort Used When Raising & Lowering Mast △ Can be Upgraded to Semi Automatic at Later Date



Stretch Film Wrappers – Lo Profile Auto Mast:

△ For Loading by Forklift or Pallet Truck △ Use for Less Than 10 Pallets Per Day △ For Pallets Lower Than 2100mm High △ Motorised Rotating Turntable - Mast Carriage Carrying the Film is Operated Manually △ Uses a Counter Balanced Mast To Reduce Effort Used When Raising & Lowering Mast △ Can be Upgraded to Semi Automatic at Later Date



Product Name	Model	Mast Height (mm)	Wrap Height (mm)	Turntable Height (mm)	Capacity (kg)	Power
Stretch Film Wrappers – Easy Manual Mast	E/M3	2440	2200	110	2000	240V /1ph
	EX/M3 & 600mm Extended Base	2440	2200	110	2000	240V /1ph
	EX/M3 & 1000mm Extended Base	2440	2200	110	2000	240V /1ph
Stretch Film Wrappers – Easy Semi Auto Mast	E/S3	2650	2600	110	2000	240V /1ph
	EXS1/S3 & 600mm Extended Base	2650	2600	110	2000	240V /1ph
Stretch Film Wrappers – Lo Profile Manual Mast	L/M3	2420	2200	26	2000	240V /1ph
	LX/M3 & 600mm Extended Base	2420	2200	26	2000	240V /1ph
Stretch Film Wrappers – Lo Profile Semi Auto Mast	L/S3	2650	2600	26	2000	240V /1ph
	LX/S3 & 600mm Extended Base	2650	2600	26	2000	240V /1ph

Stack & Wrap Palletising & Wrapping (Semi Auto & Manual):

△ Lift Table Allows Operators to Set a Constant Working Height to Palletise Goods △ Rotating Turntable Top Ensures Nearside Access is Maintained at all Times △ When Packaging Complete, Simply Lower Hydraulic Lift Table & Wrap Load △ Stack & Wrap Comprises of Hydraulic Lift Table, Powered Paldisc Turntable & Stretch Wrapper (Semi Automatic or Manual)

Product Name	Model	Platform Size (mm)	Travel Height (mm)	Wrapper Mast	Capacity (kg)	Power
Stack & Wrap Palletising & Wrapping Semi Auto Mast	SW2-AUTO	1300x1150	205 - 1120	Semi Automatic	1800	0.75kW 240V / 1ph / 50Hz
Stack & Wrap Palletising & Wrapping Manual Mast	SW2-MANUAL	1300x1150	205 - 1120	Manual	1800	0.75kW 240V / 1ph / 50Hz

